

---

# **PyGauss Documentation**

***Release 0.4.2***

**Chris Sewell**

June 14, 2015



<b>1</b>	<b>Contents</b>	<b>3</b>
1.1	Installation . . . . .	3
1.2	Whats New . . . . .	4
1.3	Example Assessment . . . . .	5
1.4	User API . . . . .	12
<b>2</b>	<b>License</b>	<b>27</b>
	<b>Python Module Index</b>	<b>29</b>



<b>Author</b>	Chris Sewell
<b>Project Page</b>	<a href="https://github.com/chrisjsewell/PyGauss">https://github.com/chrisjsewell/PyGauss</a>
<b>Conda Distro</b>	<a href="https://conda.binstar.org/cjs14">https://conda.binstar.org/cjs14</a>
<b>PyPi Distro</b>	<a href="https://pypi.python.org/pypi/pygauss">https://pypi.python.org/pypi/pygauss</a>

PyGauss is designed to be an API for examining one or more input/output files from a Gaussian quantum chemical computation, providing functionality to assess **molecular geometry** and **electronic distribution** both visually and quantitatively.

It is built on top of the `cclib/chemview/chemlab` suite of packages and python scientific stack and is primarily designed to be used interactively in the [IPython Notebook](#). As shown in the examples, a molecular optimisation can be assessed individually (much like in `gaussview`), but also as part of a group. The advantages of this package are then:

- Faster, more efficient analysis
- Reproducible analysis
- Extensible analysis



---

## Contents

---

## 1.1 Installation

### 1.1.1 OSX and Linux

The recommended was to use pygauss is to download the [Anaconda](#) Scientific Python Distribution (64-bit). Once downloaded a new environment can be created in terminal and pygauss installed:

```
conda create -n pg_env python=2.7
conda install -c https://conda.binstar.org/cjs14 -n pg_env pygauss
```

### 1.1.2 Windows

There is currently no pygauss Conda distributable for Windows or for chemlab, which has C-extensions that need to be built using a compiler. Therefore chemlab will need to be cloned from GitHub, its extensions built, dependancies installed and finally install pygauss.

```
conda create -n pg_env python=2.7
conda install -n pg_env -c https://conda.binstar.org/cjs14 cclib
conda install -n pg_env -c https://conda.binstar.org/cjs14 chemview
conda install -n pg_env -c https://conda.binstar.org/cjs14 pyopengl
git clone --recursive https://github.com/chemlab/chemlab.git
cd chemlab
python setup.py build_ext --inplace
conda install -n pg_env <pil, pandas, matplotlib, scikit-learn, ...>
activate pg_env
pip install . # or add to PYTHONPATH
pip install pygauss
```

### 1.1.3 Troubleshooting

If you encounter difficulties it may be useful to look in `working_conda_environments` at conda environments known to work.

## **1.2 Whats New**

### **1.2.1 v0.4.2 - Addition of Documentation**

addition of Sphinx documentation

### **1.2.2 v0.4.0 - Major Update**

update includes:

- refactoring of data io
- improvement of second order perturbation theory analysis
- image output to table
- addition of unit test suite
- improvement of method documentation

breaks some back compatibility

### **1.2.3 v0.3.0 - File Input Over SSH**

main update is the ability setup an ssh connection to a server, using the paramiko library, and parse analysis files over it. Also the ability to use wildcards (\*) in input file names.

some minor back compatibility breaks

### **1.2.4 v0.2.2 - Table Image Improvements**

Improvements to Table to Image functionality on OSx

- added some fixes
- re-organised test modules

### **1.2.5 v0.2.1 - Latex Table Images**

addition of functionality to output analysis tables as latex images for input into projects!

### **1.2.6 v0.2 - Initial working distribution**

Working distribution of pygauss to be converted to first conda package

### **1.2.7 v0.1 - First Version**

the first version

## 1.3 Example Assessment

You should be able to open an IPython Notebook and perform the the following:

```
from IPython.display import display
%matplotlib inline
import pygauss as pg
print 'pygauss version: {}'.format(pg.__version__)

pygauss version: 0.4.0
```

and access the test folder with a number of example Gaussian outputs.

```
folder = pg.get_test_folder()
len(folder.list_files())
```

33

**Note:** the *folder* object will act identical whether using a local path or one on a server over ssh (using paramiko):


```
folder = pg.Folder('/path/to/folder',
                   ssh_server='login.server.com',
                   ssh_username='username')
```

### 1.3.1 Single Molecule Analysis

A *molecule* can be created containg data about the initial geometry, optimisation process and analysis of the final configuration. Molecules can be viewed statically or interactively (not currently supported by Firefox).

```
mol = pg.molecule.Molecule(folder_obj=folder,
                            init_fname='CJS1_emim-cl_B_init.com',
                            opt_fname=['CJS1_emim-cl_B_6-311+g-d-p-_gd3bj_opt-modredundant_difrz.log',
                                       'CJS1_emim-cl_B_6-311+g-d-p-_gd3bj_opt-modredundant_difrz_err.log',
                                       'CJS1_emim-cl_B_6-311+g-d-p-_gd3bj_opt-modredundant_unfrz.log'],
                            freq_fname='CJS1_emim-cl_B_6-311+g-d-p-_gd3bj_freq_unfrz.log',
                            nbo_fname='CJS1_emim-cl_B_6-311+g-d-p-_gd3bj_pop-nbo-full-_unfrz.log',
                            atom_groups={'emim':range(20), 'cl':[20]},
                            alignto=[3,2,1])

#mol.show_initial(active=True)
display(mol.show_initial(represent='vdw', rotations=[[0,0,90], [-90, 90, 0]]))
display(mol.show_optimisation(represent='ball_stick', rotations=[[0,0,90], [-90, 90, 0]]))
```







Basic analysis of optimisation...

```
print('Optimised? {0}, Conformer? {1}, Energy = {2} a.u.'.format(
    mol.is_optimised(), mol.is_conformer(),
    round(mol.get_optimisation_E(units='hartree'), 3)))
ax = mol.plot_optimisation_E(units='hartree')
ax.get_figure().set_size_inches(3, 2)
ax = mol.plot_freq_analysis()
ax.get_figure().set_size_inches(4, 2)
```


```
Optimised? True, Conformer? True, Energy = -805.105 a.u.
```



Geometric analysis...


```
print('Cl optimised polar coords from aromatic ring : ({0}, {1},{2})'.format(
    *[round(i, 2) for i in mol.calc_polar_coords_from_plane(20, 3, 2, 1)])
ax = mol.plot_opt_trajectory(20, [3,2,1])
ax.set_title('Cl optimisation path')
ax.get_figure().set_size_inches(4, 3)
```

```
C1 optimised polar coords from aromatic ring : (0.11, -116.42,-170.06)
```



Potential Energy Scan analysis of geometric conformers...


```
mol2 = pg.molecule.Molecule(folder_obj=folder, alignto=[3,2,1],
    pes_fname=['CJS_emim_6311_plus_d3_scan.log',
               'CJS_emim_6311_plus_d3_scan_bck.log'])
ax = mol2.plot_pes_scans([1,4,9,10], rotation=[0,0,90], img_pos='local_maxs', zoom=0.5)
ax.set_title('Ethyl chain rotational conformer analysis')
ax.get_figure().set_size_inches(7, 3)
```



Natural Bond Orbital and Second Order Perturbation Theory analysis...

```
print '+ve charge centre polar coords from aromatic ring: ({0} {1},{2})'.format(
    *[round(i, 2) for i in mol.calc_nbo_charge_center(3, 2, 1)])
display(mol.show_nbo_charges(represent='ball_stick', axis_length=0.4,
    rotations=[[0,0,90], [-90, 90, 0]]))
```

```
+ve charge centre polar coords from aromatic ring: (0.02 -51.77,-33.15)
```



```


print 'H inter-bond energy = {} kJmol-1'.format(
    mol.calc_hbond_energy(eunits='kJmol-1', atom_groups=['emim', 'cl']))
print 'Other inter-bond energy = {} kJmol-1'.format(
    mol.calc_sopt_energy(eunits='kJmol-1', no_hbonds=True, atom_groups=['emim', 'cl']))
display(mol.show_sopt_bonds(min_energy=1, eunits='kJmol-1',
                            atom_groups=['emim', 'cl'],
                            no_hbonds=True,
                            rotations=[[0, 0, 90]]))
display(mol.show_hbond_analysis(cutoff_energy=5., alpha=0.6,
                                atom_groups=['emim', 'cl'],
                                rotations=[[0, 0, 90], [90, 0, 0]]))

```

```

H inter-bond energy = 111.7128 kJmol-1
Other inter-bond energy = 11.00392 kJmol-1

```



### 1.3.2 Multiple Computations Analysis

Multiple computations, for instance of different starting conformations, can be grouped into an *Analysis* class.

```

analysis = pg.Analysis(folder_obj=folder)
errors = analysis.add_runs(headers=['Cation', 'Anion', 'Initial'],
                           values=[['emim'], ['cl'],
                                   ['B', 'BE', 'BM', 'F', 'FE']],
                           init_pattern='*{0}-{1}_{2}_init.com',
                           opt_pattern='*{0}-{1}_{2}_6-311+g-d-p-_gd3bj_opt*unfrz.log',
                           freq_pattern='*{0}-{1}_{2}_6-311+g-d-p-_gd3bj_freq*.log',
                           )

```


```

nbo_pattern='*{0}-{1}_{2}_6-311+g-d-p-_gd3bj_pop-nbo-full-* .log',
alignto=[3,2,1], atom_groups={'emim':range(20), 'cl':[20]})

fig, caption = analysis.plot_mol_images(mtype='initial', max_cols=3,
                                         info_columns=['Cation', 'Anion', 'Initial'],
                                         rotations=[[0, 0, 90]])
print caption

```

Figure: (A) emim, cl, B, (B) emim, cl, BE, (C) emim, cl, BM, (D) emim, cl, F, (E) emim, cl, FE



The methods mentioned for individual molecules can then be applied to all or a subset of these computations.

```

analysis.add_mol_property_subset('Opt', 'is_optimised', rows=[2,3])
analysis.add_mol_property('Energy (au)', 'get_optimisation_E', units='hartree')
analysis.add_mol_property('Cation chain, $\psi$', 'calc_dihedral_angle', [1, 4, 9, 10])
analysis.add_mol_property('Cation Charge', 'calc_nbo_charge', 'emim')
analysis.add_mol_property('Anion Charge', 'calc_nbo_charge', 'cl')
analysis.add_mol_property(['Anion-Cation, $r$', 'Anion-Cation, $\theta$', 'Anion-Cation, $\phi$'],
                           'calc_polar_coords_from_plane', 3, 2, 1, 20)
analysis.add_mol_property('Anion-Cation h-bond', 'calc_hbond_energy',
                           units='kJmol-1', atom_groups=['emim', 'cl'])
tbl = analysis.get_table(row_index=['Anion', 'Cation', 'Initial'],
                         column_index=['Cation', 'Anion', 'Anion-Cation'])

```

**NEW FEATURE:** there is now an option (requiring `pdflatex` and `ghostscript+imagemagik`) to output the tables as a latex formatted image.

```


analysis.get_table(row_index=['Anion', 'Cation', 'Initial'],
                   column_index=['Cation', 'Anion', 'Anion-Cation'],
                   as_image=True, font_size=12)

```

Anion	Cation	Initial		Cation		Anion	Anion-Cation			
			Opt	Energy (au)	chain, $\psi$	Charge	Charge	$r$	$\theta$	$\phi$
cl	emim	B	-	-805.105	80.794	1.000e-05	-0.888	0.420	-123.392	172.515
cl	emim	BE	-	-805.105	80.622	-1.000e-05	-0.887	0.420	-123.449	172.806
cl	emim	BM	True	-805.104	73.103	1.000e-05	-0.874	0.420	124.121	-166.774
cl	emim	F	True	-805.118	147.026	5.551e-17	-0.840	0.420	10.393	0.728
cl	emim	FE	-	-805.117	85.310	1.000e-05	-0.851	0.417	-13.254	-4.873

RadViz is a way of visualizing multi-variate data.

```
ax = analysis.plot_radviz_comparison('Anion', columns=range(4, 10))
```



The KMeans algorithm clusters data by trying to separate samples into n groups of equal variance.

```
pg.utils.imgplot_kmean_groups(
    analysis, 'Anion', 'cl', 4, range(4, 10),
    output=['Initial'], mtype='optimised',
    rotations=[[0, 0, 90], [-90, 90, 0]],
    axis_length=0.3)
```

## Category 1:




Figure: (A) B, (B) BE

## Category 2:

**A**




Figure: (A) BM

## Category 3:

**A**




Figure: (A) FE

## Category 4:




Figure: (A) F

MORE TO COME!!

## 1.4 User API

### 1.4.1 pygauss.file\_io module

Created on Mon May 18 21:01:25 2015

@author: chris sewell

**class** pygauss.file\_io.Folder(*path*, *server=None*, *username=None*, *passwrd=None*)  
Bases: object

an object intended to act as an entry point to a folder path

#### Parameters

- **path** (*str*) – the path to the folder (absolute or relative)
- **server** (*str*) – the server name
- **username** (*str*) – the username to connect to the server
- **passwrd** (*str*) – server password, if not present it will be asked for during initialisation

#### \_\_enter\_\_()

use with statement to open ssh connection once

#### \_\_exit\_\_(*type*, *value*, *traceback*)

use with statement to open ssh connection once

#### active()

#### get\_path()

---

```

islocal()

list_files(pattern=None, one_file=False)
    list files in folder

        pattern [str] a pattern the file must match that can include * wildcards

read_file(file_name)

save_ipyimg(img, img_name)
    a function for outputing an IPython Image to a file

        img [IPython.display.Image] an IPyton image

        img_name [str] the desired name of the file

save_mplfig(fig, fig_name, dpi=256, format='png')
    a function for outputing a matplotlib figure to a file

        fig [Matplotlib.figure.Figure] a Matplotlib figure

        fig_name [str] the desired name of the file

save_pilimg(img, img_name)

write_file(file_name, overwrite=False)

class pygauss.file_io.NoOutputFolder(*args, **kwargs)
Bases: pygauss.file_io.Folder

    a folder object which will not output any data

    save_ipyimg(*arg, **kwargs)
    save_mplfig(*arg, **kwargs)
    save_pilimg(*arg, **kwargs)
    write_file(*arg, **kwargs)

```

## 1.4.2 pygauss.molecule module

Created on Fri May 01 21:24:31 2015

@author: chris

```

class pygauss.molecule.Molecule(folderpath='', init_fname=False, opt_fname=False,
                                    freq_fname=False, nbo_fname=False, pes_fname=False,
                                    fail_silently=False, atom_groups={}, alignto=[], server=None,
                                    username=None, passwd=None, folder_obj=None)
Bases: object

```

a class to analyse gaussian input/output of a single molecular geometry

### Parameters

- **folderpath** (*str*) – the folder path
- **init\_fname** (*str*) – the intial geometry (.com) file
- **opt\_fname** (*str or list of str*) – the optimisation log file
- **freq\_fname** (*str*) – the frequency analysis log file
- **nbo\_fname** (*str*) – the population analysis logfile
- **pes\_fname** (*str*) – the potential energy scan logfile

- **fail\_silently** (`bool`) – whether to raise an error if a file read fails (if True can use `get_init_read_errors` to see errors)
- **atom\_groups** (`{str:[int, ...]}`) – groups of atoms that can be selected as a subset
- **alignto** (`[int, int, int]`) – the atom numbers to align the geometry to
- **of the file names can have wildcards (e.g. 'filename\*.log' in them, (any))** –
- **long as this resolves to a single path in the directory (as)** –
- **NB (nbo population analysis must be run with the GFInput flag to ensure)** –
- **is output to the log file (data)** –

**add\_frequency** (`file_name`)

**add\_initialgeom** (`file_name`)

**add\_nbo\_analysis** (`file_name`)

**add\_optimisation** (`file_name`)

**add\_pes\_analysis** (`file_names`)

**calc\_2plane\_angle** (`p1, p2, optimisation=True`)  
return angle of planes

**calc\_bond\_angle** (`idxs, optimisation=True, mol=None`)  
Returns the angle in degrees between three points

**calc\_dihedral\_angle** (`idxs, optimisation=True, mol=None`)  
Returns the angle in degrees between four points

**calc\_hbond\_energy** (`atom_groups=[], eunits='kJmol-1'`)

**calc\_min\_dist** (`idx_list1, idx_list2, optimisation=True, units='nm', ignore_missing=True`)  
indexes start at 1

**calc\_nbo\_charge** (`atoms=[]`)  
returns total charge of the atoms

**calc\_nbo\_charge\_center** (`p1, p2, p3, positive=True, units='nm', atoms=[]`)  
returns the distance r and angles theta, phi of the positive/negative charge center to the circumcenter of the plane formed by [p1, p2, p3]

**the plane formed will have;** x-axis along p1, y-axis anticlock-wise towards p2, z-axis normal to the plane  
theta (azimuth) is the in-plane angle from the x-axis towards the y-axis phi (inclination) is the out-of-plane angle from the x-axis towards the z-axis

**calc\_opt\_trajectory** (`atom, plane=[]`)  
calculate the trajectory of an atom as it is optimised, relative to a plane of three atoms

**calc\_polar\_coords\_from\_plane** (`p1, p2, p3, c, optimisation=True, units='nm'`)  
returns the distance r and angles theta, phi of atom c to the circumcenter of the plane formed by [p1, p2, p3]

**the plane formed will have;** x-axis along p1, y-axis anticlock-wise towards p2, z-axis normal to the plane  
theta (azimuth) is the in-plane angle from the x-axis towards the y-axis phi (inclination) is the out-of-plane angle from the x-axis towards the z-axis

---

**calc\_sopt\_energy** (*atom\_groups*=[], *eunits*='kJmol-1', *no\_hbonds*=False)  
calculate total energy of interactions between “filled” (donor) Lewis-type Natural Bonding Orbitals (NBOs) and “empty” (acceptor) non-Lewis NBOs, using Second Order Perturbation Theory

**Parameters**

- **eunits** (*str*) – the units of energy to return
- **atom\_groups** (*[list or str, list or str]*) – restrict interactions to between two lists (or identifiers) of atom indexes
- **no\_hbonds** (*bool*) – whether to ignore H-Bonds in the calculation

**Returns** analysis – a table of interactions**Return type** pandas.DataFrame

**combine\_molecules** (*other\_mol*, *self\_atoms*=False, *other\_atoms*=False, *self\_rotation*=[0, 0, 0],  
*other\_rotation*=[0, 0, 0], *self\_transpose*=[0, 0, 0], *other\_transpose*=[0, 0, 0], *self\_opt*=True, *other\_opt*=True, *charge*=None, *multiplicity*=None,  
*out\_name*=False, *descript*=‘’, *overwrite*=False, *active*=False, *represent*=‘ball\_stick’, *rotations*=[[0.0, 0.0, 0.0]], *zoom*=1.0, *width*=300,  
*height*=300, *axis\_length*=0, *ipyiming*=True, *folder\_obj*=None)

transpose in nanometers

**get\_basis\_descript()****get\_basis\_funcs()****get\_folder()**

return the Folder instance

**get\_freq\_analysis()**

return frequency analysis

**Returns** data – frequency data**Return type** pd.DataFrame**get\_hbond\_analysis** (*min\_energy*=0.0, *atom\_groups*=[], *eunits*='kJmol-1')

EXPERIMENTAL! hydrogen bond analysis (DH—A), using Second Order Bond Perturbation Theory

**Parameters**

- **min\_energy** (*float*) – the minimum interaction energy to report
- **eunits** (*str*) – the units of energy to return
- **atom\_groups** (*[list or str, list or str]*) – restrict interactions to between two lists (or identifiers) of atom indexes

**Returns**

- **analysis** (*pandas.DataFrame*) – a table of interactions
- *uses a strict definition of a hydrogen bond as*
- *interactions between “filled” (donor) Lewis-type Lone Pair (LP) NBOs*
- *and “empty” (acceptor) non-Lewis Bonding (BD) NBOs*

**get\_init\_read\_errors()**

get read errors, recorded if fail\_silently was set to True on initialise

**get\_optimisation\_E** (*units*=‘eV’, *final*=True)

return the SCF optimisation energy

### Parameters

- **units** (*str*) – the unit type of the energy
- **final** (*bool*) – return only the final optimised energy if True, else for all steps

**Returns** `out` – dependant on final

**Return type** float or list of floats

**get\_orbital\_count()**

return number of orbitals

**get\_orbital\_energies** (*orbitals*, *eunits*=*'eV'*)

the orbital energies for listed orbitals

### Parameters

- **orbitals** (*int or iterable of ints*) – the orbital(s) to return energies for (starting at 1)
- **eunits** (*str*) – the units of energy

**Returns** `moenergies` – energy for each orbital

**Return type** np.array

**get\_orbital\_homo\_lumo()**

return orbital numbers of homo and lumo

**get\_run\_error** (*rtype*=*'opt'*)

True if there were errors in the computation, else False

**get\_sopt\_analysis** (*eunits*=*'kJmol-1'*, *atom\_groups*=[], *charge\_info*=*False*)

interactions between “filled” (donor) Lewis-type Natural Bonding Orbitals (NBOs) and “empty” (acceptor) non-Lewis NBOs, using Second Order Perturbation Theory (SOPT)

### Parameters

- **eunits** (*str*) – the units of energy to return
- **atom\_groups** (*[list or str, list or str]*) – restrict interactions to between two lists (or identifiers) of atom indexes
- **charge\_info** (*bool*) – include charge info for atoms (under headings ‘A\_Charges’ and ‘D\_Charges’)

**Returns** `analysis` – a table of interactions

**Return type** pandas.DataFrame

**is\_conformer** (*cutoff*=0.0)

False if any frequencies in the frequency analysis were negative

**is\_optimised()**

was the geometry optimised

**plot\_freq\_analysis()**

plot frequency analysis

**Returns** `data` – plotted frequency data

**Return type** matplotlib.axes.\_subplots.AxesSubplot

**plot\_opt\_trajectory** (*atom*, *plane*=[], *ax\_lims*=*None*, *ax\_labels*=*False*)

plot the trajectory of an atom as it is optimised, relative to a plane of three atoms

---

```

plot_optimisation_E (units='eV')
    plot SCF optimisation energy

plot_pes_scans (fixed_atoms, eunits='kJmol-1', img_pos='', rotation=[0.0, 0.0, 0.0], zoom=1, order=1)
    plot Potential Energy Scan

img_pos [<'local_mins','local_maxs','global_min','global_max'>] position image(s) of molecule conformation(s) on plot

rotation [[float, float, float]] rotation of molecule image(s)

remove_alignment_atoms ()

set_alignment_atoms (idx1, idx2, idx3)

show_active_orbital (orbital, iso_value=0.03, alpha=0.5, bond_color=(255, 0, 0), anti-bond_color=(0, 255, 0), gbonds=True)
    get interactive representation of orbital

```

#### Parameters

- **orbital** (*int*) – the orbital to show (in range 1 to number of orbitals)
- **iso\_value** (*float*) – The value for which the function should be constant.
- **alpha** – alpha value of iso-surface
- **bond\_color** – color of bonding orbital surface in RGB format
- **antibond\_color** – color of anti-bonding orbital surface in RGB format
- **gbonds** (*bool*) – guess bonds between atoms (via distance)

```

show_hbond_analysis (min_energy=0.0, atom_groups=[], cutoff_energy=0.0, eunits='kJmol-1',
                      bondwidth=5, gbonds=True, active=False, represent='ball_stick', rotations=[[0.0, 0.0, 0.0]], zoom=1.0, width=300, height=300, axis_length=0,
                      lines=[], relative=False, minval=-1, maxval=1, alpha=0.5, transparent=True, ipyimg=True)

```

EXPERIMENTAL! hydrogen bond analysis DH—A

For a hydrogen bond to occur there must be both a hydrogen donor and an acceptor present. The donor in a hydrogen bond is the atom to which the hydrogen atom participating in the hydrogen bond is covalently bonded, and is usually a strongly electronegative atom such as N, O, or F. The hydrogen acceptor is the neighboring electronegative ion or molecule, and must possess a lone electron pair in order to form a hydrogen bond.

Since the hydrogen donor is strongly electronegative, it pulls the covalently bonded electron pair closer to its nucleus, and away from the hydrogen atom. The hydrogen atom is then left with a partial positive charge, creating a dipole-dipole attraction between the hydrogen atom bonded to the donor, and the lone electron pair on the acceptor.

```

show_highlight_atoms (atomlists, transparent=False, alpha=0.7, gbonds=True, active=False, optimised=True, represent='vdw', rotations=[[0.0, 0.0, 0.0]], zoom=1.0,
                      width=300, height=300, axis_length=0, lines=[], ipyimg=True)

```

```

show_initial (gbonds=True, active=False, represent='vdw', rotations=[[0.0, 0.0, 0.0]], zoom=1.0,
                  width=300, height=300, axis_length=0, lines=[], ipyimg=True)
    show initial geometry (before optimisation) of molecule

```

```

show_nbo_charges (gbonds=True, active=False, relative=False, minval=-1, maxval=1, represent='vdw', rotations=[[0.0, 0.0, 0.0]], zoom=1.0, width=300, height=300,
                      axis_length=0, lines=[], ipyimg=True)

```

```
show_optimisation (opt_step=False, gbonds=True, active=False, represent='vdw', rotations=[[0.0, 0.0, 0.0]], zoom=1.0, width=300, height=300, axis_length=0, lines=[], ipyimg=True)
    show optimised geometry of molecule

show_sopt_bonds (min_energy=20.0, cutoff_energy=0.0, atom_groups=[], bondwidth=5, eunits='kJmol-1', no_hbonds=False, gbonds=True, active=False, represent='ball_stick', rotations=[[0.0, 0.0, 0.0]], zoom=1.0, width=300, height=300, axis_length=0, lines=[], relative=False, minval=-1, maxval=1, alpha=0.5, transparent=True, ipyimg=True)
    visualisation of interactions between “filled” (donor) Lewis-type Natural Bonding Orbitals (NBOs) and “empty” (acceptor) non-Lewis NBOs, using Second Order Perturbation Theory

yield_orbital_images (orbitals, iso_value=0.02, extents=(2, 2, 2), transparent=True, alpha=0.5, wireframe=True, bond_color=(255, 0, 0), antibond_color=(0, 255, 0), resolution=100, gbonds=True, represent='ball_stick', rotations=[[0.0, 0.0, 0.0]], zoom=1.0, width=300, height=300, axis_length=0, lines=[], ipyimg=True)
    yield orbital images
```

#### Parameters

- **orbitals** (*int or list of ints*) – the orbitals to show (in range 1 to number of orbitals)
- **iso\_value** (*float*) – The value for which the function should be constant.
- **extents** (*(float, float, float)*) – +/- x,y,z to extend the molecule geometry when constructing the surface
- **transparent=True** – whether iso-surface should be transparent (based on alpha value)
- **alpha** – alpha value of iso-surface
- **wireframe** – whether iso-surface should be wireframe (or solid)
- **bond\_color** – color of bonding orbital surface in RGB format
- **antibond\_color** – color of anti-bonding orbital surface in RGB format
- **resolution** (*int*) – The number of grid point to use for the surface. An high value will give better quality but lower performance.
- **gbonds** (*bool*) – guess bonds between atoms (via distance)
- **represent** (*str*) – representation of molecule ('none', 'wire', 'vdw' or 'ball\_stick')
- **zoom** (*float*) – zoom level of images
- **width** (*int*) – width of original images
- **height** (*int*) – height of original images (although width takes precedent)
- **axis\_length** (*float*) – length of x,y,z axes in negative and positive directions
- **lines** (*[start\_coord, end\_coord, start\_color, end\_color, width, dashed]*) – lines to add to image
- **ipyimg** (*bool*) – whether to return an IPython image, PIL image otherwise

**Returns** **mol** – an image of the molecule in the format specified by ipyimg

**Return type** IPython.display.Image or PIL.Image

`pygauss.molecule.orbit_z(self, angle)`

### 1.4.3 pygauss.analysis module

```
class pygauss.analysis.Analysis(folderpath='', server=None, username=None, passwd=None,
                                 folder_obj=None, headers=[])
```

Bases: object

a class to analyse multiple computations

#### Parameters

- **folderpath** (*str*) – the folder directory storing the files to be analysed
- **server** (*str*) – the name of the server storing the files to be analysed
- **username** (*str*) – the username to connect to the server
- **passwd** (*str*) – server password, if not present it will be asked for during initialisation
- **headers** (*list*) – the variable categories for each computation

**add\_basic\_properties** (*props*=['basis', 'nbasis', 'optimised', 'conformer'])

adds columns giving info of basic run properties

**add\_mol\_property** (*name*, *method*, \**args*, \*\**kwargs*)

compute molecule property for all rows and create a data column

#### Parameters

- **name** (*str*) – what to name the data column
- **method** (*str*) – what molecule method to call
- **\*args** – arguments to pass to the molecule method
- **\*\*kwargs** – keyword arguments to pass to the molecule method

**add\_mol\_property\_subset** (*name*, *method*, *rows*=[], *filters*={}, *args*=[], *kwargs*={}, *relative\_to\_rows*=[])

compute molecule property for a subset of rows and create/add-to data column

#### Parameters

- **name** (*str or list of strings*) – name for output column (multiple if method outputs more than one value)
- **method** (*str*) – what molecule method to call
- **rows** (*list*) – what molecule rows to calculate the property for
- **filters** (*dict*) – filter for selecting molecules to calculate the property for
- **args** (*list*) – the arguments to pass to the molecule method
- **kwargs** (*dict*) – the keyword arguments to pass to the molecule method
- **relative\_to\_rows** (*list of ints*) – compute values relative to the summated value(s) of molecule at the rows listed

**add\_run** (*identifiers*={}, *init\_fname*=None, *opt\_fname*=None, *freq\_fname*=None, *nbo\_fname*=None, *alignto*=[], *atom\_groups*={}, *add\_if\_error*=False, *folder\_obj*=None)

add single Gaussian run input/outputs

**add\_runs** (*headers*=[], *values*=[], *init\_pattern*=None, *opt\_pattern*=None, *freq\_pattern*=None, *nbo\_pattern*=None, *add\_if\_error*=False, *alignto*=[], *atom\_groups*={}, *ipython\_print*=False)

add multiple Gaussian run inputs/outputs

**calc\_kmean\_groups** (*category\_column*, *category\_name*, *groups*, *columns*=[], *rows*=[], *filters*={})  
calculate the kmeans grouping of rows

The KMeans algorithm clusters data by trying to separate samples in n groups of equal variance, minimizing a criterion known as the inertia or within-cluster sum-of-squares. This algorithm requires the number of clusters to be specified. It scales well to large number of samples and has been used across a large range of application areas in many different fields.

**copy** ()

**folder**

The folder for gaussian runs

**get\_basic\_property** (*prop*, \**args*, \*\**kwargs*)

returns a series of a basic run property or nan if it is not available

**Parameters** *prop* (*str*) – can be ‘basis’, ‘nbasis’, ‘optimised’, ‘opt\_error’ or ‘conformer’

**get\_folder** ()

**get\_freq\_analysis** (*info\_columns*=[], *rows*=[], *filters*={})

return frequency analysis

#### Parameters

- **info\_columns** (*list of str*) – columns to use as info in caption
- **rows** (*int or list*) – index for the row of each molecule to plot (all plotted if empty)
- **filters** (*dict*) – {columns:values} to filter by

**Returns** *data* – frequency data

**Return type** pd.DataFrame

**get\_molecule** (*row*)

get molecule object coresponding to particular row

**get\_table** (*rows*=[], *columns*=[], *filters*={}, *precision*=4, *head*=False, *mol*=False, *row\_index*=[], *column\_index*=[], *as\_image*=False, *na\_rep*=‘-‘, *font\_size*=None, *width*=None, *height*=None, *unconfined*=False)

return pandas table of requested data in requested format

**rows** [integer or list of integers] select row ids

**columns** [string/integer or list of strings/integers] select column names/positions

**filters** [*dict*] filter for rows with certain value(s) in specific columns

**precision** [int] decimal precision of displayed values

**head** [int] return only first n rows

**mol** [bool] include column containing the molecule objects

**row\_index** [string or list of strings] columns to use as new index

**column\_index** [list of strings] strings to place in to higher order column indexes

**as\_image** [bool] output the table as an image (used pygauss.utils.df\_to\_img)

**na\_rep** [str] how to represent empty (nan) cells (if outputting image)

**width, height, unconfined** [int, int, bool] args for IPy Image

**plot\_freq\_analysis** (*info\_columns*=[], *rows*=[], *filters*={}, *share\_plot*=True, *include\_row*=False)  
plot frequency analysis

**Parameters**

- **info\_columns** (*list of str*) – columns to use as info in caption
- **rows** (*int or list*) – index for the row of each molecule to plot (all plotted if empty)
- **filters** (*dict*) – {columns:values} to filter by
- **share\_plot** (*bool*) – whether to share a single plot or have multiple ones
- **include\_row** (*bool*) – include row number in legend labels

**Returns** **data** – plotted frequency data

**Return type** matplotlib.figure.Figure

```
plot_mol_images(mtype='optimised', info_columns=[], info_incl_id=False, max_cols=1,
                  label_size=20, start_letter='A', save_fname=None, rows=[], filters={},
                  align_to=[], rotations=[[0.0, 0.0, 0.0]], gbonds=True, represent='ball_stick',
                  zoom=1.0, width=500, height=500, axis_length=0, relative=False,
                  minval=-1, maxval=1, highlight=[], frame_on=False, eunits='kJmol-1',
                  sopt_min_energy=20.0, sopt_cutoff_energy=0.0, atom_groups=[], alpha=0.5,
                  transparent=False, hbondwidth=5, no_hbonds=False)
show molecules in matplotlib table of axes
```

**Parameters**

- **mtype** – ‘initial’, ‘optimised’, ‘nbo’, ‘highlight’, ‘sopt’ or ‘hbond’
- **info\_columns** (*list of str*) – columns to use as info in caption
- **info\_incl\_id** (*bool*) – include molecule id number in caption
- **max\_cols** (*int*) – maximum columns in plot
- **label\_size** (*int*) – subplot label size (pts)
- **start\_letter** (*str*) – starting (capital) letter for labelling subplots
- **save\_fname** (*str*) – name of file, if you wish to save the plot to file
- **rows** (*int or list*) – index for the row of each molecule to plot (all plotted if empty)
- **filters** (*dict*) – {columns:values} to filter by
- **align\_to** (*[int, int, int]*) – align geometries to the plane containing these atoms
- **rotations** (*list of [float, float, float]*) – for each rotation set [x,y,z] an image will be produced
- **gbonds** (*bool*) – guess bonds between atoms (via distance)
- **represent** (*str*) – representation of molecule (‘none’, ‘wire’, ‘vdw’ or ‘ball\_stick’)
- **zoom** (*float*) – zoom level of images
- **width** (*int*) – width of original images
- **height** (*int*) – height of original images (although width takes precedent)
- **axis\_length** (*float*) – length of x,y,z axes in negative and positive directions
- **relative** (*bool*) – coloring of nbo atoms scaled to min/max values in atom set (for nbo mtype)
- **minval** (*float*) – coloring of nbo atoms scaled to absolute min (for nbo mtype)
- **maxval** (*float*) – coloring of nbo atoms scaled to absolute max (for nbo mtype)

- **highlight** (*list of lists*) – atom indexes to highlight (for highlight mtype)
- **eunits** (*str*) – the units of energy to return (for sopt/hbond mtype)
- **sopt\_min\_energy** (*float*) – minimum energy to show (for sopt/hbond mtype)
- **sopt\_cutoff\_energy** (*float*) – energy below which bonds will be dashed (for sopt mtype)
- **alpha** (*float*) – alpha color value of geometry (for sopt/hbond mtypes)
- **transparent** (*bool*) – whether atoms should be transparent (for sopt/hbond mtypes)
- **hbondwidth** (*float*) – width of lines depicting interaction (for hbond mtypes)
- **atom\_groups** (*[list or str; list or str]*) – restrict interactions to between two lists (or identifiers) of atom indexes (for sopt/hbond mtypes)
- **no\_hbonds** (*bool*) – whether to ignore H-Bonds in the calculation (for sopt only)
- **frame\_on** (*bool*) – whether to show frame around each image

#### Returns

- **fig** (*matplotlib.figure.Figure*) – A figure containing subplots for each molecule image
- **caption** (*str*) – A caption describing each subplot, given info\_columns

**plot\_radviz\_comparison** (*category\_column*, *columns*=[], *rows*=[], *filters*={}, *point\_size*=30,  
                          \*\*kwargs)  
return plot axis of radviz graph

RadViz is a way of visualizing multi-variate data. It is based on a simple spring tension minimization algorithm. Basically you set up a bunch of points in a plane. In our case they are equally spaced on a unit circle. Each point represents a single attribute. You then pretend that each sample in the data set is attached to each of these points by a spring, the stiffness of which is proportional to the numerical value of that attribute (they are normalized to unit interval). The point in the plane, where our sample settles to (where the forces acting on our sample are at an equilibrium) is where a dot representing our sample will be drawn. Depending on which class that sample belongs it will be colored differently.

**remove\_columns** (*columns*)  
**remove\_non\_conformers** (*cutoff*=0.0)  
    removes runs with negative frequencies  
**remove\_non\_optimised** ()  
    removes runs that were not optimised  
**remove\_rows** (*rows*)  
    remove one or more rows of molecules  
    *rows* [int or list of ints:] the rows to remove  
**set\_folder** (*folderpath*=‘’, *server*=None, *username*=None, *passwrd*=None)  
**yield\_mol\_images** (*rows*=[], *filters*={}, *mtype*=‘optimised’, *align\_to*=[], *rotations*=[[0.0, 0.0, 0.0]], *gbonds*=True, *represent*=‘ball\_stick’, *zoom*=1.0, *width*=300, *height*=300, *axis\_length*=0, *relative*=False, *minval*=-1, *maxval*=1, *highlight*=[], *active*=False, *sopt\_min\_energy*=20.0, *sopt\_cutoff\_energy*=0.0, *atom\_groups*=[], *alpha*=0.5, *transparent*=False, *hbondwidth*=5, *eunits*=‘kJmol-1’, *no\_hbonds*=False, *ipyimg*=True)  
yields molecules

#### Parameters

- **mtype** – ‘initial’, ‘optimised’, ‘nbo’, ‘highlight’, ‘sopt’ or ‘hbond’

- **info\_columns** (*list of str*) – columns to use as info in caption
- **max\_cols** (*int*) – maximum columns in plot
- **label\_size** (*int*) – subplot label size (pts)
- **start\_letter** (*str*) – starting (capital) letter for labelling subplots
- **save\_fname** (*str*) – name of file, if you wish to save the plot to file
- **rows** (*int or list*) – index for the row of each molecule to plot (all plotted if empty)
- **filters** (*dict*) – {columns:values} to filter by
- **align\_to** (*[int, int, int]*) – align geometries to the plane containing these atoms
- **rotations** (*list of [float, float, float]*) – for each rotation set [x,y,z] an image will be produced
- **gbonds** (*bool*) – guess bonds between atoms (via distance)
- **represent** (*str*) – representation of molecule ('none', 'wire', 'vdw' or 'ball\_stick')
- **zoom** (*float*) – zoom level of images
- **width** (*int*) – width of original images
- **height** (*int*) – height of original images (although width takes precedent)
- **axis\_length** (*float*) – length of x,y,z axes in negative and positive directions
- **relative** (*bool*) – coloring of nbo atoms scaled to min/max values in atom set (for nbo mtype)
- **minval** (*float*) – coloring of nbo atoms scaled to absolute min (for nbo mtype)
- **maxval** (*float*) – coloring of nbo atoms scaled to absolute max (for nbo mtype)
- **highlight** (*list of lists*) – atom indexes to highlight (for highlight mtype)
- **eunits** (*str*) – the units of energy to return (for sopt/hbond mtype)
- **sopt\_min\_energy** (*float*) – minimum energy to show (for sopt/hbond mtype)
- **sopt\_cutoff\_energy** (*float*) – energy below which bonds will be dashed (for sopt mtype)
- **alpha** (*float*) – alpha color value of geometry (for highlight/sopt/hbond mtypes)
- **transparent** (*bool*) – whether atoms should be transparent (for highlight/sopt/hbond mtypes)
- **hbondwidth** (*float*) – width of lines depicting interaction (for hbond mtypes)
- **atom\_groups** (*[list or str; list or str]*) – restrict interactions to between two lists (or identifiers) of atom indexes (for sopt/hbond mtypes)
- **no\_hbonds** (*bool*) – whether to ignore H-Bonds in the calculation
- **ipyimg** (*bool*) – whether to return an IPython image, PIL image otherwise
- **Yields** –
- -----
- **indx** (*int*) – the row index of the molecule
- **mol** (*IPython.display.Image or PIL.Image*) – an image of the molecule in the format specified by ipyimg

## 1.4.4 pygauss.isosurface module

Created on Mon May 25 15:23:49 2015

@author: chris based on add\_isosurface function from chemview

```
pygauss.isosurface.calc_normals(verts,faces)
    from; https://sites.google.com/site/dlampetest/python/calculating-normals-of-a-triangle-mesh-using-numpy
pygauss.isosurface.get_isosurface(coordinates,function, isolevel=0.03, color=(255, 0, 0, 255),
                                         extents=(5, 5, 5), resolution=100)
```

Add an isosurface to the current scene.

### Parameters

- **coordinates** (`numpy.array`) – the coordinates of the system
- **function** (`func`) – A function that takes x, y, z coordinates as input and is broadcastable using numpy. Typically simple functions that involve standard arithmetic operations and functions such as `x**2 + y**2 + z**2` or `np.exp(x**2 + y**2 + z**2)` will work. If not sure, you can first pass the function through `numpy.vectorize`. Example: `mv.add_isosurface(np.vectorize(f))`
- **isolevel** (`float`) – The value for which the function should be constant.
- **color** ((`int, int, int, int`)) – The color given in RGBA format
- **extents** ((`float, float, float`)) – +/- x,y,z to extend the molecule geometry when constructing the surface
- **resolution** (`int`) – The number of grid point to use for the surface. An high value will give better quality but lower performance.

```
pygauss.isosurface.my_calc_normals(verts,faces)
    doesn't work
```

```
pygauss.isosurface.normalize_v3(arr)
    Normalize a numpy array of 3 component vectors shape=(n,3)
```

## 1.4.5 pygauss.utils module

Created on Thu Apr 30 01:08:30 2015

@author: chris

```
pygauss.utils.circumcenter(pts)
```

Computes the circumcenter and circumradius of M, N-dimensional points ( $1 \leq M \leq N + 1$  and  $N \geq 1$ ). The points are given by the rows of an  $(M) \times (N)$  dimensional matrix pts.

Returns a tuple (center, radius) where center is a column vector of length N and radius is a scalar.

In the case of four points in 3D, pts is a  $4 \times 3$  matrix arranged as:

```
pts = [ x0 y0 z0 ] [ x1 y1 z1 ] [ x2 y2 z2 ] [ x3 y3 z3 ]
```

with return value ([ cx cy cz ], R)

Uses an extension of the method described here: <http://www.ics.uci.edu/~eppstein/junkyard/circumcenter.html>

```
pygauss.utils.circumcenter_barycoords(pts)
```

Computes the barycentric coordinates of the circumcenter M, N-dimensional points ( $1 \leq M \leq N + 1$  and  $N \geq 1$ ). The points are given by the rows of an  $(M) \times (N)$  dimensional matrix pts.

Uses an extension of the method described here: <http://www.ics.uci.edu/~eppstein/junkyard/circumcenter.html>

```
pygauss.utils.df_to_img(df, na_rep='-', other_temp=None, font_size=None, width=None,  
                  height=None, unconfined=False)
```

converts a pandas Dataframe to an IPython image

**na\_rep** [str] how to represent empty (nan) cells

**other\_temp** [str] a latex template to use for the table other than the default

The function uses pandas to convert the dataframe to a latex table, applies a template, converts to a PDF, converts to an image, and finally return the image

to use this function you will need the pdflatex executable from tex distribution, the convert executable from imagemagick, which also requires ghostscript; <http://www.ghostscript.com/download/gsdnld.html> <http://www.imagemagick.org/script/binary-releases.php>

NB: on Windows some issues were found with convert being an already existing application. To overcome this change its filename and use the im\_name variable.

```
pygauss.utils.imgplot_kmean_groups(analysis, category, cat_name, groups, columns, filters={},  
                  output=[], max_cols=2, **kwargs)
```

```
pygauss.utils.is_wellcentered(pts, tol=1e-08)
```

Determines whether the M points in N dimensions define a well-centered simplex.

```
pygauss.utils.set_imagik_exe(name)
```



### License

---

Pygauss is released under the [GNU GPLv3](#) and its main developer is Chris Sewell.



**p**

`pygauss.analysis`, 19  
`pygauss.file_io`, 12  
`pygauss.isosurface`, 24  
`pygauss.molecule`, 13  
`pygauss.utils`, 24



## Symbols

`__enter__()` (pygauss.file\_io.Folder method), 12  
`__exit__()` (pygauss.file\_io.Folder method), 12

### A

`active()` (pygauss.file\_io.Folder method), 12  
`add_basic_properties()` (pygauss.analysis.Analysis method), 19  
`add_frequency()` (pygauss.molecule.Molecule method), 14  
`add_initialgeom()` (pygauss.molecule.Molecule method), 14  
`add_mol_property()` (pygauss.analysis.Analysis method), 19  
`add_mol_property_subset()` (pygauss.analysis.Analysis method), 19  
`add_nbo_analysis()` (pygauss.molecule.Molecule method), 14  
`add_optimisation()` (pygauss.molecule.Molecule method), 14  
`add_pes_analysis()` (pygauss.molecule.Molecule method), 14  
`add_run()` (pygauss.analysis.Analysis method), 19  
`add_runs()` (pygauss.analysis.Analysis method), 19  
Analysis (class in pygauss.analysis), 19

### C

`calc_2plane_angle()` (pygauss.molecule.Molecule method), 14  
`calc_bond_angle()` (pygauss.molecule.Molecule method), 14  
`calc_dihedral_angle()` (pygauss.molecule.Molecule method), 14  
`calc_hbond_energy()` (pygauss.molecule.Molecule method), 14  
`calc_kmean_groups()` (pygauss.analysis.Analysis method), 19  
`calc_min_dist()` (pygauss.molecule.Molecule method), 14  
`calc_nbo_charge()` (pygauss.molecule.Molecule method), 14

`calc_nbo_charge_center()` (pygauss.molecule.Molecule method), 14  
`calc_normals()` (in module pygauss.isosurface), 24  
`calc_opt_trajectory()` (pygauss.molecule.Molecule method), 14  
`calc_polar_coords_from_plane()` (pygauss.molecule.Molecule method), 14  
`calc_sopt_energy()` (pygauss.molecule.Molecule method), 14  
`circumcenter()` (in module pygauss.utils), 24  
`circumcenter_barycoords()` (in module pygauss.utils), 24  
`combine_molecules()` (pygauss.molecule.Molecule method), 15  
`copy()` (pygauss.analysis.Analysis method), 20

### D

`df_to_img()` (in module pygauss.utils), 25

### F

Folder (class in pygauss.file\_io), 12  
folder (pygauss.analysis.Analysis attribute), 20

### G

`get_basic_property()` (pygauss.analysis.Analysis method), 20  
`get_basis_descript()` (pygauss.molecule.Molecule method), 15  
`get_basis_funcs()` (pygauss.molecule.Molecule method), 15  
`get_folder()` (pygauss.analysis.Analysis method), 20  
`get_folder()` (pygauss.molecule.Molecule method), 15  
`get_freq_analysis()` (pygauss.analysis.Analysis method), 20  
`get_freq_analysis()` (pygauss.molecule.Molecule method), 15  
`get_hbond_analysis()` (pygauss.molecule.Molecule method), 15  
`get_init_read_errors()` (pygauss.molecule.Molecule method), 15  
`get_isosurface()` (in module pygauss.isosurface), 24

get\_molecule() (pygauss.analysis.Analysis method), 20  
get\_optimisation\_E()  
    method), 15  
get\_orbital\_count()  
    method), 16  
get\_orbital\_energies()  
    method), 16  
get\_orbital\_homo\_lumo()  
    method), 16  
get\_path() (pygauss.file\_io.Folder method), 12  
get\_run\_error() (pygauss.molecule.Molecule method), 16  
get\_sopt\_analysis()  
    method), 16  
get\_table() (pygauss.analysis.Analysis method), 20

## I

imgplot\_kmean\_groups() (in module pygauss.utils), 25  
is\_conformer() (pygauss.molecule.Molecule method), 16  
is\_optimised() (pygauss.molecule.Molecule method), 16  
is\_wellcentered() (in module pygauss.utils), 25  
islocal() (pygauss.file\_io.Folder method), 12

## L

list\_files() (pygauss.file\_io.Folder method), 13

## M

Molecule (class in pygauss.molecule), 13  
my\_calc\_normals() (in module pygauss.isosurface), 24

## N

NoOutputFolder (class in pygauss.file\_io), 13  
normalize\_v3() (in module pygauss.isosurface), 24

## O

orbit\_z() (in module pygauss.molecule), 18

## P

plot\_freq\_analysis() (pygauss.analysis.Analysis method),  
    20  
plot\_freq\_analysis()  
    method), 16  
plot\_mol\_images() (pygauss.analysis.Analysis method),  
    21  
plot\_opt\_trajectory()  
    method), 16  
plot\_optimisation\_E()  
    method), 16  
plot\_pes\_scans() (pygauss.molecule.Molecule method),  
    17  
plot\_radviz\_comparison() (pygauss.analysis.Analysis  
    method), 22  
pygauss.analysis (module), 19  
pygauss.file\_io (module), 12

pygauss.isosurface (module), 24  
pygauss.molecule (module), 13  
pygauss.utils (module), 24

## R

read\_file() (pygauss.file\_io.Folder method), 13  
remove\_alignment\_atoms() (pygauss.molecule.Molecule  
    method), 17  
remove\_columns() (pygauss.analysis.Analysis method),  
    22  
remove\_non\_conformers() (pygauss.analysis.Analysis  
    method), 22  
remove\_non\_optimised() (pygauss.analysis.Analysis  
    method), 22  
remove\_rows() (pygauss.analysis.Analysis method), 22

## S

save\_ipyimg() (pygauss.file\_io.Folder method), 13  
save\_ipyimg() (pygauss.file\_io.NoOutputFolder method),  
    13  
save\_mplfig() (pygauss.file\_io.Folder method), 13  
save\_mplfig() (pygauss.file\_io.NoOutputFolder method),  
    13  
save\_pilimg() (pygauss.file\_io.Folder method), 13  
save\_pilimg() (pygauss.file\_io.NoOutputFolder method),  
    13  
set\_alignment\_atoms() (pygauss.molecule.Molecule  
    method), 17  
set\_folder() (pygauss.analysis.Analysis method), 22  
set\_imagik\_exe() (in module pygauss.utils), 25  
show\_active\_orbital()  
    method), 17  
show\_hbond\_analysis()  
    method), 17  
show\_highlight\_atoms()  
    method), 17  
show\_initial() (pygauss.molecule.Molecule method), 17  
show\_nbo\_charges()  
    method), 17  
show\_optimisation()  
    method), 17  
show\_sopt\_bonds()  
    method), 18

## W

write\_file() (pygauss.file\_io.Folder method), 13  
write\_file() (pygauss.file\_io.NoOutputFolder method), 13

## Y

yield\_mol\_images() (pygauss.analysis.Analysis method),  
    22  
yield\_orbital\_images() (pygauss.molecule.Molecule  
    method), 18